

Valley Meadows and Fens

Key Characteristics

- Flat, narrow, river valley bottoms
- Deep peat or mixtures of peat and sandy deposits
- Ancient meres within the valley bottoms & important fen sites
- Small grassland fields, bounded by dykes running at right angles to the main river
- Sparse scattering of small alder carr & plantation woodlands
- Part of a wider estate type landscape
- Largely unsettled, except for the occasional farmstead
- Drier fields turned over to the production of arable crops
- Cattle grazing now often peripheral to commercial agriculture
- Loss to scrub encroachment, tree planting and horse paddocks

Location

This Landscape type occurs in two main areas of the county:

- In the north-west in the valleys of the River Lark (from Mildenhall upstream to Ampton) and of The Black Bourn (from Euston to Pakenham and Norton)
- In the north-east in the east-flowing valleys of the Hundred River (Rushmere to Ellough), the Wang (Wolsey Bridge to Uggheshall), the Blyth (Bulcamp to Heveningham and along a tributary to Bramfield), and the Minsmere River or Yox (Eastbridge to Sibton).

Geology, landform and soils

These landscapes comprise flat, narrow, river valley bottoms. Those in the east having deep peat deposits, except in the higher reaches the Yox and the Hundred River. In the west, deep peat is limited to parts of the Lark, with mixtures of peat and sandy deposits

elsewhere. Occasionally there are ancient meres within the valley bottoms, eg Micklemere in Pakenham and Livermere.

Landholding and enclosure pattern

The common pattern of land division in this landscape is into small grassland fields, bounded by dykes running at right angles to the main river. This valley grassland usually forms part of a larger agricultural holding, in which it is commonly marginal to the principal farming business. In many cases the small fields have been turned over to the production of arable crops, in places where the land is quite dry, such as on the Yox around Sibton, this change has been sustained. In a lot of cases, such as at Norton on the Black Bourne, efforts at arable production have been replaced by set-aside or managed as grassland under a government environment.

These valleys are all found in a wider estate type landscape; therefore they often incorporate parts of parklands. The most notable examples of this are at Heveningham, where, the large lakes designed by Capability Brown in the 1780s were completed in the 1990s, at Ampton/Great Livermere, where in the 1790's Humphry Repton designed a long lake to serve two parks and at Culford where he again designed a long lake. Parklands are also found at Pakenham, Euston, Stowlangtoft and Sibton.

Settlement

Settlements adjacent to this landscape tend to reflect the surrounding estate character. However the valley floors themselves are largely unsettled, except for the occasional farmstead.

Trees and woodland cover

There is some tree cover present here in the form of alder carrs and plantation woodlands, however trees and woodland do not dominate the landscape to the same extent as in the valleys of the Waveney and the Little Ouse. The important fen sites remaining in this landscape are at Pakenham and Tuddenham in the west of the county.

Visual experience

This landscape is noticeably contained by the surrounding higher land, there are only occasional exceptions to this, such as at Wenhaston and Blyford on the Blyth. Here this landscape can give the same sense of quite isolation that is experienced on the floor of the Waveney valley. However, landscape change and human activity tend to intrude more often, with arable land at Sibton, parklands, at Heveningham, or pony paddocks at Tostock.

Condition

Some parts of this landscape are still in fine condition having a rural feel and maintain the traditional management of cattle grazing, this pattern is shown at its best at Blyford. There is though a lot of neglect and poor management in these landscapes, the small and

27 Valley Meadows and Fens
1.0 1/8/08

difficult to access fields are often peripheral to any form of active agriculture. These difficult fields are being lost to scrub encroachment, tree planting and horse paddocks.